



**Note:** Before using this information and the product it supports, read the information in "Notices" at the end of this document.

**First Edition (December, 2005)**

This edition applies to IBM® Lotus® Domino® Designer 7 (product number L-GHUS-5RWNHM), and to all subsequent releases and modifications, until otherwise indicated in new editions.

© Copyright International Business Machines Corporation 1994, 2005. All rights reserved.

US Government Users Restricted Rights - Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

---

# Contents

## Chapter 1. Introduction to Domino

### Designer . . . . . 1

Overview -- applications and databases . . . . .	1
Applications . . . . .	1
Databases . . . . .	1
Starting Lotus Domino Designer . . . . .	2
To start Domino Designer from the Bookmark bar in the Notes client . . . . .	2
To start Domino Designer from a database in the Notes client. . . . .	2
To start Domino Designer from the command line . . . . .	2
Exploring Lotus Domino Designer . . . . .	3
Properties boxes . . . . .	5
Creating a database . . . . .	6
Displaying, collecting, and storing information . . . . .	6
Pages. . . . .	6
Forms and documents . . . . .	7
Fields. . . . .	8
Organizing your data . . . . .	9
Views. . . . .	9
Folders . . . . .	9
Creating navigation. . . . .	10
Outlines . . . . .	10
Navigators. . . . .	11
Structuring your display . . . . .	11
Adding automation. . . . .	11
Actions. . . . .	12
Hotspots . . . . .	12
Agents . . . . .	12
Sharing, locking, and editing design elements . . . . .	12
Editing multiple design elements . . . . .	12
Sharing resources across databases . . . . .	12
Locking documents and design elements . . . . .	13
Autosaving Notes documents . . . . .	13
Enabling AutoSave in forms. . . . .	13
Enabling AutoSave in the Notes client . . . . .	13
Recovering documents saved with the AutoSave feature . . . . .	14
Other Autosave options . . . . .	14
Extending access to applications . . . . .	14
Using third-party design tools . . . . .	14
Using WebDAV for remote development . . . . .	15
Accessing external data sources from a field . . . . .	15
Bringing an application off-line. . . . .	15
Instant messaging colleagues . . . . .	15
Communicating across platforms . . . . .	15
JavaServer pages . . . . .	15
XML. . . . .	16

### Chapter 2. Planning an application. . . . 17

Planning a Notes application . . . . .	17
Planning a Notes and Web application . . . . .	17
Understanding the differences . . . . .	17
Tips for designing Notes and Web applications . . . . .	18
Planning for integration with WebSphere and DB2 . . . . .	21

Planning a Web application . . . . .	21
Tips for designing Web applications . . . . .	22
Creating formulas and buttons for the Web. . . . .	22
Planning an application for mobile users . . . . .	23
Hide-when options for all applications . . . . .	23
To set hide-when options on one or more elements according to client type . . . . .	23
To set hide-when options on individual elements according to context . . . . .	23
HTML tag attributes for a Domino server . . . . .	24
HTML tag attributes . . . . .	24
Domino applets . . . . .	25
Designing an application for maximum accessibility . . . . .	25
Design considerations for accessible applications . . . . .	25
Creating multilingual applications. . . . .	27
Setting a default language and region . . . . .	27
Creating multilingual design elements . . . . .	27
Translating an application using IBM Domino Global Workbench . . . . .	27
Adding translation components to a Designer application . . . . .	29
Table of Notes and Domino known limits . . . . .	30

### Chapter 3. Creating an application. . . . 31

Creating databases . . . . .	31
Creating a database from a template . . . . .	31
Copying an existing Domino database . . . . .	32
To create a new database by copying an existing database . . . . .	33
To copy individual design elements . . . . .	33
To protect individual design elements . . . . .	34
Starting a database from scratch . . . . .	34
Organizing your application. . . . .	35
Creating a bookmark on the Bookmark bar . . . . .	35
Copying a design element to a new location . . . . .	36
Creating folders for bookmarks or design elements . . . . .	36
Using toolbars . . . . .	37
Enabling subscriptions. . . . .	37
Reducing database maintenance with shared code and shared resources . . . . .	38
Sharing file resources . . . . .	39
To create a file resource . . . . .	39
To open a file resource. . . . .	39
To refresh a file resource . . . . .	40
To prevent a file resource from being refreshed . . . . .	40
To copy a file resource to your computer . . . . .	40
To delete a file resource . . . . .	40
To set up a file resource for use on the Web . . . . .	40
Creating an image resource . . . . .	41
To create a shared image resource . . . . .	41
To set image resource properties . . . . .	41
Basics tab . . . . .	41
Design tab. . . . .	41
To colorize grays . . . . .	42

To insert an image resource . . . . .	42	To format a section . . . . .	56
To insert an image resource from a file in the current database. . . . .	42	To delete a section . . . . .	56
To rename an image resource . . . . .	42	Creating links . . . . .	57
To delete an image resource . . . . .	42	To create a Named Element link . . . . .	57
To reference an image resource with HTML . . . . .	43	To copy and paste a link . . . . .	57
To make design changes to an image resource. . . . .	43	To create a link using the properties box. . . . .	57
Exporting an image resource . . . . .	43	To create a link to a document, view, anchor, or database . . . . .	57
Distributing design changes for an image . . . . .	43	To create a URL link . . . . .	58
Creating a custom letterhead . . . . .	43	Using graphics . . . . .	58
Creating image resource sets. . . . .	43	Preparing graphics . . . . .	58
To create a horizontal image set . . . . .	44	Changing the color palette . . . . .	59
To create a vertical image set . . . . .	44	Adding graphics to a page, form, or subform . . . . .	59
To use the image set on the Web . . . . .	45	Changing the display properties of the graphic . . . . .	60
Document locking . . . . .	45	Adding a background color or graphic . . . . .	60
To allow document locking . . . . .	45	Adding an applet . . . . .	61
To prevent document locking . . . . .	45	Creating an attachment . . . . .	61
Customizing twisties . . . . .	45	Embedding elements . . . . .	62
Previewing your design work . . . . .	46	To embed an element . . . . .	62
To preview in Notes or in the default Web browser using the menu . . . . .	46	To delete an embedded element . . . . .	62
To preview in Notes or in the default Web browser using the preview icons . . . . .	46	Embedding a date picker. . . . .	62
To set up a default browser for previewing. . . . .	47	Embedding an Instant Messaging Contact List. . . . .	63
To override proxy settings for additional browsers . . . . .	47	Inserting a JavaScript library . . . . .	63
Requirements for previewing your design work on the Web . . . . .	47	To insert a JavaScript library in-line . . . . .	63
Adding instant messaging to an application . . . . .	47	To Insert a JavaScript Library into the JS Header: . . . . .	63
Preventing users from accessing forms and views in a Web application . . . . .	48	Using HTML on a page, form, or subform . . . . .	63
<b>To restrict users from opening parts of an     application using URL commands . . . . .</b>	48	To convert pages, forms, or subforms into HTML . . . . .	64
<b>Chapter 4. Designing pages. . . . .</b>	<b>49</b>	To import HTML . . . . .	64
How pages compare to forms . . . . .	50	To paste HTML . . . . .	64
Creating pages . . . . .	50	To enter HTML directly on a page, form, or subform . . . . .	65
To create a page . . . . .	50	To include some HTML on a page, form, or subform . . . . .	65
To delete a page. . . . .	51	Setting launch properties for pages or forms . . . . .	65
Displaying a page . . . . .	51	To set the launch property for a page. . . . .	65
Creating a home page for an application . . . . .	52	To set the launch property for a form. . . . .	65
To set the home page to launch automatically . . . . .	52	Layers . . . . .	66
To specify a default home page for a Web server . . . . .	52	Creating a layer . . . . .	66
Styling text for the Web . . . . .	52	Changing the position of a layer . . . . .	67
Fonts . . . . .	52	Changing the HTML properties of a layer . . . . .	69
Size . . . . .	53	Changing the background color and image for a layer. . . . .	69
Preserving spaces . . . . .	53	Creating style sheets as shared resources . . . . .	70
Text colors. . . . .	53	To create a new style sheet resource . . . . .	70
Creating computed text . . . . .	53	To insert a style sheet resource into a page, form, or subform . . . . .	70
Example: Computed text . . . . .	53	To edit a style sheet resource . . . . .	71
Changing all text styles . . . . .	54	To refresh a style sheet resource . . . . .	71
Creating and formatting horizontal rules . . . . .	54	Table of supported CSS properties. . . . .	71
To create a horizontal rule . . . . .	54	Programming a page or form . . . . .	73
To change the style of a horizontal rule . . . . .	54	Adding HTML header information . . . . .	73
Creating programmable tables . . . . .	54	To add HTML header information. . . . .	73
How programmable tables work . . . . .	55	Example: Adding HTML to the Head tag . . . . .	73
To create a programmable table. . . . .	55	Adding JavaScript header information . . . . .	73
Example: Creating hotspots to control a programmable table . . . . .	55	To add JavaScript header information. . . . .	73
Creating sections . . . . .	56	Example: Adding JavaScript header information . . . . .	73
To create a section . . . . .	56	<b>Chapter 5. Designing forms. . . . .</b>	<b>75</b>

To store a form with each document . . . . .	78	Creating a layout region . . . . .	91
Overriding the stored form . . . . .	78	To create a layout region . . . . .	91
Shared fields and documents with stored forms	78	To delete a layout region . . . . .	92
Form formulas . . . . .	78	Aligning and rearranging elements in a layout region . . . . .	92
Designating a default form for a database . . . . .	79	Changing the size and style of a layout region. . . . .	92
Alternatives to storing forms . . . . .	79	Adding graphics to a layout region . . . . .	92
Creating and deleting forms . . . . .	79	Embedded controls . . . . .	93
To create a new form . . . . .	79	Creating an embedded file upload control . . . . .	93
To copy an existing form . . . . .	79	Creating an embedded scheduler . . . . .	93
Special types of forms . . . . .	79	Creating an embedded editor . . . . .	96
To delete a form . . . . .	79	Profile forms . . . . .	97
Tips for designing forms . . . . .	80	Creating a profile form . . . . .	98
Naming forms . . . . .	80	Forms that prompt users for input. . . . .	98
Name requirements. . . . .	80	Designing a form that presents a dialog box . . . . .	99
Creating aliases . . . . .	80	Guidelines for designing a form that presents a dialog box. . . . .	99
To add an alias . . . . .	81	Designing a form that prompts users for information . . . . .	100
Form names and keyboard shortcuts . . . . .	81	Examples: Using @Prompt . . . . .	100
Ordering forms on the Create menu . . . . .	81	[YesNoCancel] . . . . .	100
To create a cascading menu for Notes clients . . . . .	81	[OkCancelEdit] . . . . .	100
To move a form to the Create - Other menu in the Notes client . . . . .	82	[OkCancelList] . . . . .	100
To remove a form from the Create menu in the Notes client . . . . .	82	Designing a form that lets users make selections from a view . . . . .	100
To hide a form . . . . .	82	Using @PickList . . . . .	101
Making a form available to Web browsers . . . . .	82	Example . . . . .	101
To make a form available to Web users . . . . .	82	Designing a form for a Domino billing application	101
Selected form properties . . . . .	83	To specify which documents to track . . . . .	101
To open the Form Properties box . . . . .	83	Designing a form for contact printing . . . . .	101
Protecting author/editor anonymity . . . . .	83	Example . . . . .	104
Changing form focus . . . . .	83	Customizing the "Form processed" confirmation for Web users . . . . .	105
Handling replication conflicts . . . . .	83	To add users' names to the response . . . . .	105
Opening documents in edit mode automatically	83	To link to another page . . . . .	105
Choosing a content type for Web access . . . . .	84	To display a different Web page . . . . .	105
Generating HTML for hidden fields . . . . .	84	Displaying a customized error message on the Web	105
Using data sources on a form . . . . .	84	Adding the message field . . . . .	105
To define a header on a form . . . . .	84	Customizing search forms . . . . .	106
To display a graphic in a header . . . . .	85	Customizing search input forms . . . . .	106
To create a print header and footer . . . . .	85	Searching for Header Information (search by Date Created or Modified) . . . . .	107
Header and footer alignment . . . . .	85	Customizing Domain search results forms. . . . .	108
Creating a response hierarchy . . . . .	85	How SearchResults and ResultEntry/DetailedResultEntry are used. . . . .	108
To create a response or response-to-response form. . . . .	86	Customizing Web SearchView results . . . . .	109
To include a parent document in a new document . . . . .	86	Using navigational buttons for paged results	110
Version tracking . . . . .	86	Tips for improving document display time . . . . .	111
To designate a form for version tracking. . . . .	86	Designing forms . . . . .	111
Customizing a form's window title . . . . .	88	Designing fields . . . . .	111
To customize a form's window title . . . . .	88	Testing a form before deploying it . . . . .	112
Examples: Customizing window titles . . . . .	88		
Title includes creation date and company name	88		
Title includes number of responses . . . . .	88		
Response includes the subject . . . . .	88		
Using subforms . . . . .	89		
To create a subform. . . . .	89		
To insert a subform on a form . . . . .	90		
To display a computed subform on a form . . . . .	90		
Example of displaying a computed subform . . . . .	90		
Deleting subforms . . . . .	90		
To delete a subform from a form . . . . .	90		
To delete a subform from a database . . . . .	90		
Layout regions . . . . .	91		

**Chapter 6. Designing fields . . . . . 113**

Creating a single-use field . . . . .	113
To copy fields . . . . .	113
To delete fields . . . . .	113
To convert a shared field to a single-use field	114
To convert a single-use field to a shared field	114
Creating a shared field . . . . .	114
To create a shared field . . . . .	114
To insert a shared field . . . . .	114

To rename a shared field . . . . .	114	To add HTML attributes using the Field	
To delete a shared field . . . . .	115	Properties box: . . . . .	139
To convert a single-use field to a shared field	115	To add HTML attributes using the field's HTML	
To create multiple shared fields for different		Attributes event: . . . . .	139
languages . . . . .	115	Storing HTML in a field . . . . .	140
Field names and labels . . . . .	116	Creating fields that inherit values . . . . .	140
Naming a field . . . . .	116	To create a field that inherits values from	
Renaming a field . . . . .	116	another document . . . . .	140
Field types . . . . .	116	Example: Inheriting address information . . . . .	140
Text, rich text, and rich text lite fields . . . . .	117	To create a field that inherits an entire	
Displaying graphics, attachments, and objects in		document . . . . .	141
a rich text field . . . . .	117	To inherit information in a response hierarchy	141
Using rich text lite fields. . . . .	117	Standard fields used in templates . . . . .	141
Rich text fields on the Web . . . . .	118	Predefined fields with built-in functionality . . . . .	142
Number fields . . . . .	120	Reserved names for embedded elements . . . . .	142
Numeric fields . . . . .	120	Reserved fields for use in billing applications	142
Currency fields. . . . .	121	Reserved fields for general use . . . . .	142
Date/Time fields . . . . .	121	Internal fields on forms . . . . .	143
Choosing a Date/Time format. . . . .	121	Reserved fields that control mailing options . . . . .	143
To display a date . . . . .	121	Table of fields that control mailing options . . . . .	143
To display a time . . . . .	122	Interactions with the Mail Send dialog box . . . . .	144
Formulas for Date/Time fields . . . . .	123	Interactions with the Document Save dialog box	144
Creating a graphical display for Date/Time		MailFormat . . . . .	144
fields . . . . .	124	MailOptions. . . . .	144
Names fields . . . . .	125	SendTo . . . . .	145
Looking up names for field values . . . . .	126	Fields for version tracking . . . . .	145
Lookup options . . . . .	126	To create a computed \$VersionOpt field . . . . .	145
Enabling a field for instant messaging . . . . .	126	To create a choice list \$VersionOpt field . . . . .	145
Readers and Authors fields. . . . .	126	Designing fields that prompt users to select folders	146
Creating fields to display lists of choices . . . . .	127		
Generating choices for lists . . . . .	128	<b>Chapter 7. Designing framesets . . . . . 147</b>	
Use View dialog for choices . . . . .	128	Creating a frameset . . . . .	147
Examples: Creating a field to display a list of		Using the View menu with framesets . . . . .	148
choices . . . . .	129	Providing content for a frame . . . . .	148
Creating a formula-generated list. . . . .	129	Setting the style for frames . . . . .	149
Creating aliases for choices in a list . . . . .	129	Specifying a target frame . . . . .	151
Converting aliases to full category names . . . . .	129	Launching a database into a frameset . . . . .	152
Example: Using aliases for choices in a list . . . . .	130	Launching a page or form into a frameset. . . . .	152
Password fields. . . . .	130	Launching a view or folder into a frameset . . . . .	152
Example: Using an input translation formula	130		
Example: Using a QuerySave event . . . . .	130	<b>Chapter 8. Designing views . . . . . 155</b>	
Example 2: Using a QuerySave event . . . . .	131	Folders . . . . .	155
Formula fields . . . . .	131	Standard outline views . . . . .	155
Color fields . . . . .	132	Displaying a view on the Web. . . . .	157
Time zone fields . . . . .	133	Limits for views . . . . .	157
Editable and computed fields . . . . .	133	Calendar views. . . . .	157
Writing field formulas . . . . .	133	Shared and private views . . . . .	158
Computed field formulas . . . . .	133	Shared views . . . . .	158
To create a formula for the value of a computed		Shared, contains documents not in any folders	158
field . . . . .	134	Shared, contains deleted documents . . . . .	158
Editable field formulas . . . . .	134	Shared, private-on-first-use views . . . . .	159
Selected field properties. . . . .	135	Shared, desktop private-on-first-use views. . . . .	159
Hiding fields . . . . .	137	Private views . . . . .	159
Hiding options . . . . .	137	Creating a standard outline view . . . . .	159
To hide a field . . . . .	137	Copying and deleting views . . . . .	160
Creating a field in a layout region . . . . .	138	To copy a view . . . . .	160
To create a field in a layout region . . . . .	138	To delete a view . . . . .	160
To create a field label. . . . .	139	Creating a default design for new views . . . . .	160
To resize a field . . . . .	139	Designing folders . . . . .	161
Adding HTML attributes to a field . . . . .	139	Naming a view or folder . . . . .	161

Naming tips . . . . .	161	Usage Notes . . . . .	191
Aliases . . . . .	161	To allow users to edit documents in a view . . . . .	191
Hidden views . . . . .	162	To allow users to create a new document from a view . . . . .	191
Shortcut keys . . . . .	162	Coding notes . . . . .	191
Cascading views . . . . .	162	Allowing users to set colors in a view . . . . .	192
Customizing the style of the inbox folder . . . . .	162	Setting the color value in the profile document . . . . .	192
Using a previously created style . . . . .	162	Formulas that look for values in columns and views . . . . .	192
Selecting an inbox style . . . . .	163	Referring to views in @function formulas . . . . .	193
Selecting which documents display in a view . . . . .	163	Referring to columns in formulas . . . . .	193
Choosing the type of view selection . . . . .	163	Creating a calendar view . . . . .	193
Simple Search . . . . .	164	To create a calendar view . . . . .	193
Formula . . . . .	164	Formatting options for calendar views . . . . .	194
Examples: Programming documents to display in a view . . . . .	164	Troubleshooting a calendar view . . . . .	195
Table of document selection conditions . . . . .	164	Setting styles for a calendar view . . . . .	195
Description of document selection conditions . . . . .	166	Displaying views in Web applications . . . . .	196
Creating columns in a view . . . . .	167	Specifying how a view displays in a Web browser . . . . .	196
Creating a shared column . . . . .	167	Creating an embedded view or embedded folder . . . . .	197
Adding titles to columns . . . . .	168	Using HTML formatting for views and columns . . . . .	200
Setting styles for columns . . . . .	169	Displaying a view as an applet in Web applications . . . . .	200
Formatting date and time columns . . . . .	170	Allowing users to select view documents on the Web . . . . .	203
Displaying numbers in columns . . . . .	171	Opening a view with a particular frameset on the Web . . . . .	203
Enabling a column for instant messaging . . . . .	171	Hiding a view . . . . .	203
Advanced options for columns . . . . .	172	Hiding a view from Notes users . . . . .	203
Adding programming to columns . . . . .	173	Hiding a view from Web users . . . . .	203
Table of simple functions for columns . . . . .	176	Showing a view only to users of older Notes releases . . . . .	204
Displaying an icon in a column . . . . .	178	Refreshing view indexes . . . . .	204
Sorting documents in views . . . . .	179	Refresh time options . . . . .	204
Overriding alphabetical sorting with a hidden column . . . . .	182	Refresh display options . . . . .	204
Using a column to switch to another view . . . . .	183	Discard index options . . . . .	205
Generating column totals, averages, and percents . . . . .	183	When the view index is deleted . . . . .	205
Setting styles for a standard view or folder . . . . .	183	Adding a trash folder to an application . . . . .	205
Display options for views . . . . .	184	Trash folders in the view applet . . . . .	206
Setting the view as the default . . . . .	185	Adding a view for soft deletions . . . . .	206
Using a view or folder as a template . . . . .	185	To turn on soft deletions for a database . . . . .	206
Collapsing the view to show only categories . . . . .	185	Displaying and restoring soft-deleted documents . . . . .	206
Organizing response documents in a hierarchy . . . . .	185	DB2 query views . . . . .	207
Adding a view name to the View menu . . . . .	185	Query views and federated data . . . . .	207
Allowing Notes users to customize a view . . . . .	185	Using complex SQL queries in query views . . . . .	208
Evaluating formulas when documents change . . . . .	185	Prerequisites for working with Notes databases that reside in DB2 . . . . .	208
Creating new documents at view level . . . . .	185	Creating a query view . . . . .	208
Opening to a particular row in the view . . . . .	185	Managing query views . . . . .	210
Displaying the last-used view . . . . .	186	@ functions for query views . . . . .	211
Refreshing a view . . . . .	186	<b>Chapter 9. Designing navigation for an application . . . . .</b>	<b>213</b>
Page breaks in a view . . . . .	186	Outlines . . . . .	213
Adding categories to views . . . . .	186	Overview of creating a navigator . . . . .	213
To categorize a view . . . . .	186	Creating an outline . . . . .	214
Generating category names . . . . .	187	Designing for accessibility . . . . .	214
Categorizing in the All by Category view . . . . .	188	To create a new outline . . . . .	214
Indenting response documents . . . . .	188	To create a default outline . . . . .	214
Formulas for response columns . . . . .	189	To add a new outline entry to an outline . . . . .	215
Identifying unread documents . . . . .	190		
Choosing a style for unread marks . . . . .	190		
Choosing a color for unread marks . . . . .	190		
Disabling unread marks for modified documents . . . . .	190		
Default views . . . . .	190		
Allowing users to edit or create documents from a view . . . . .	191		

To reorder elements in an outline . . . . .	215	<b>Form events.</b> . . . . .	239
To create a hierarchy between elements. . . . .	215	<b>Examples.</b> . . . . .	239
To delete an outline entry . . . . .	215	<b>Field events.</b> . . . . .	239
Embedding an outline . . . . .	216	<b>Examples.</b> . . . . .	240
Outline, outline entry, and embedded outline properties . . . . .	216	<b>Click events.</b> . . . . .	240
Selected outline properties . . . . .	217	<b>Examples.</b> . . . . .	240
Selected outline entry properties . . . . .	217	<b>Agent event.</b> . . . . .	240
Selected embedded outline properties . . . . .	218	Creating a form, subform, page, or view action . . . . .	240
Using the outline applet in Web applications . . . . .	223	To create an action with subaction . . . . .	241
Displaying the outline in a frameset. . . . .	224	To create system actions . . . . .	242
Navigators . . . . .	224	Copying and deleting actions . . . . .	242
Designing for accessibility . . . . .	224	Actions menu . . . . .	242
Navigator objects . . . . .	224	Calling an agent . . . . .	242
Navigator actions . . . . .	225	Action bar . . . . .	242
Creating a navigator . . . . .	225	Creating and inserting shared actions . . . . .	244
To edit a navigator . . . . .	225	To create a shared action . . . . .	244
Adding graphic objects to navigators . . . . .	226	To create shared action notes . . . . .	245
Adding and enhancing graphics in a navigator . . . . .	226	To delete a shared action note . . . . .	246
Adding text to and highlighting navigator objects. . . . .	227	To insert a shared action. . . . .	246
Adding hotspots . . . . .	227	To edit shared actions . . . . .	246
Adding actions to navigators . . . . .	228	Creating a button . . . . .	246
Displaying a navigator when users open a database . . . . .	230	Other button tasks. . . . .	247
Hiding navigators . . . . .	230	Creating a text pop-up . . . . .	248
Embedding navigators in a form, subform, page, or document . . . . .	231	Other text pop-up tasks . . . . .	248
Overriding an embedded navigator with a navigator template . . . . .	231	Example: Text pop-ups . . . . .	248
Importing a navigator into a form, subform, page, or document . . . . .	232	Creating a formula pop-up . . . . .	248
Testing navigators . . . . .	232	Other formula pop-up tasks . . . . .	249
Creating an imagemap . . . . .	233	Creating an action hotspot . . . . .	249
To create an imagemap . . . . .	233	Other action hotspot tasks . . . . .	249
To move a hotspot. . . . .	233	Creating a program for an event . . . . .	250
To delete a hotspot from an imagemap . . . . .	233	Creating an agent . . . . .	250
To copy an imagemap . . . . .	233	Triggering an agent on an event . . . . .	251
To change the graphic for an imagemap . . . . .	234	Triggering an agent on a schedule . . . . .	253
		Useful agent procedures. . . . .	254
<b>Chapter 10. Adding automation to applications . . . . .</b>	<b>235</b>	Examples of agents to run before Web users open or save documents . . . . .	256
Actions . . . . .	236	WebQueryOpen events . . . . .	256
When to use actions . . . . .	236	WebQuerySave events . . . . .	256
Examples of actions . . . . .	236	Setting up agent security using the Security tab . . . . .	256
Notes on actions . . . . .	236	Security for agents on servers and the Web . . . . .	257
Hotspots . . . . .	236	Who can create agents? . . . . .	258
When to use hotspots . . . . .	237	Who can run agents? . . . . .	258
Examples of hotspots. . . . .	237	Private agents . . . . .	258
Agents . . . . .	237	Shared agents . . . . .	258
When to use agents . . . . .	237	LotusScript/Java agents . . . . .	258
Notes on agents . . . . .	238	Where can agents run? . . . . .	258
Events. . . . .	238	What operations can agents run? . . . . .	259
When to use event programming. . . . .	238	When are restrictions checked? . . . . .	259
Examples of event programming . . . . .	238	Locally on Notes . . . . .	259
Types of events. . . . .	238	On the server . . . . .	259
<b>Database events</b> . . . . .	238	Foreground or background . . . . .	260
<b>Examples:</b> . . . . .	238	From the Notes client or the Web. . . . .	260
<b>View and folder events.</b> . . . . .	239	Security controls for agents that are called by agents . . . . .	260
<b>Examples</b> of view and folder events. . . . .	239	Troubleshooting agents . . . . .	261
<b>Examples</b> of calendar view events . . . . .	239	Testing agents . . . . .	261
		To use the Test menu command . . . . .	261
		To use the LotusScript debugger . . . . .	261
		To create a test database. . . . .	262
		Profiling agents and Web services . . . . .	262
		Viewing the agent log . . . . .	263

Notes server console commands . . . . .	263
Tell amgr schedule . . . . .	263
tell amgr status. . . . .	264
tell amgr debug . . . . .	264
Agent Manager debugging information. . . . .	264
Debug_AMgr . . . . .	265
Log_AgentManager . . . . .	265
NotesLog Class. . . . .	265
Agent Log limit . . . . .	266
Simple actions for automation. . . . .	266
Copy to Database . . . . .	266
Copy to Folder . . . . .	266
Delete from Database. . . . .	267
Mark Document Read . . . . .	267
Mark Document Unread. . . . .	267
Modify Field . . . . .	267
Modify Fields by Form . . . . .	267
Move to Folder. . . . .	268
Remove from Folder . . . . .	268
Reply to Sender . . . . .	268
Run Agent . . . . .	268
Send Document . . . . .	268
Send Mail Message . . . . .	268
Send Newsletter Summary . . . . .	269
@Function Formula . . . . .	269
Using LotusScript for automation . . . . .	269
Working with HTML. . . . .	269
Restricted LotusScript and Java agent operations	270
<b>Table of restricted backend class and method</b>	270
<b>Table of restricted programming language</b>	
<b>operations</b> . . . . .	271
Formulas for automation . . . . .	272
Using @command formulas with actions and	
hotspots . . . . .	272
Security features that affect automation	
formulas . . . . .	272
JavaScript for automation . . . . .	273
Table of supported JavaScript objects for automated	
components . . . . .	273
Actions and agents names . . . . .	274
Naming tips. . . . .	274
Naming techniques . . . . .	274
Aliases . . . . .	274
Shortcut keys . . . . .	275
Hiding automated components . . . . .	275

## Chapter 11. Developing applications using third-party tools and WebDAV . 277

Customizing the Designer Tools menu . . . . .	277
To add a tool . . . . .	277
Organizing tools on the Tools menu. . . . .	278
To add a submenu for tools . . . . .	278
To move a tool to another design context . . . . .	278
To copy, paste, or delete a tool: . . . . .	278
To edit a tool . . . . .	278
Editing and managing database resources using a	
WebDAV client. . . . .	278
Setting up WebDAV . . . . .	279
Enabling design locking. . . . .	279
Notes about working with WebDAV. . . . .	279
Limitations . . . . .	280

Accessing database resources using a WebDAV	
client . . . . .	280
Virtual collections . . . . .	280
Accessing database elements . . . . .	281
Avoiding and resolving naming conflicts . . . . .	281
Using WebDAV in a replicated environment . . . . .	282

## Chapter 12. Connecting to enterprise data . 283

Data Connection Resource (DCR). . . . .	283
@DB commands . . . . .	283
Domino Enterprise Connection Services (DECS)	283
LotusScript and Java classes . . . . .	284
Domino Connectors . . . . .	284
Lotus Enterprise Integrator. . . . .	284
Table of connectivity solutions. . . . .	284
Overview of Data Connection Resources . . . . .	285
Overview of creating a DCR . . . . .	285
Establishing a data source resource for use with a	
DCR . . . . .	286
Creating a database connection resource . . . . .	286
To create a DCR . . . . .	286
Specifying options for the data connection resource	287
Maximum number of concurrent connections	287
Block key field updates . . . . .	287
Only update changed fields . . . . .	287
Enable conflict detection. . . . .	287
Space trimming . . . . .	287
Action on data mismatch . . . . .	287
Action on missing record . . . . .	287
Custom settings for specific applications . . . . .	288
Enabling connections to external databases . . . . .	288
Using a data connection resource on a form . . . . .	288
To specify a default data connection for a form	288
To create fields for connecting with external	
data . . . . .	289
Importing data from an external database into an	
application . . . . .	289
Using ODBC to access relational databases . . . . .	290
Files required to use ODBC. . . . .	290
Registering data sources for ODBC . . . . .	290
To register a data source for ODBC in Windows	291
Setting up a view for ODBC access . . . . .	291
Writing formulas and scripts to access relational	
databases. . . . .	291
The LotusScript Data Object (LS:DO) . . . . .	292

## Chapter 13. Including Java applets in applications . 293

Requirements and restrictions for Java applets . . . . .	293
Overview of adding a Java applet to an application	293
Enabling Java applets. . . . .	294
Importing an applet . . . . .	294
Getting the main class name . . . . .	294
Selecting related files. . . . .	294
Importing applets packaged as CAB or ZIP files	295
Linking to an applet on the Web . . . . .	295
Setting applet parameters . . . . .	295
To set individual applet parameters . . . . .	296
To set all applet parameters . . . . .	296

Tips	296
Specifying applet parameters, attributes, and properties	296
Setting HTML attributes	297
Setting Alternate HTML attributes	297
Setting properties	297
To set applet properties	297
To hide an applet under certain conditions	298
To hide an applet based on the browser accessing it	298
Setting up shared applet resources	298
To create a shared applet resource	298
To use a shared applet resource	299
Stopping, selecting, and restarting applets	299
To stop an applet	299
To select an applet	299
To restart an applet	299
Copying and deleting applets	299
To delete an applet and its related files	300
To copy an applet	300
Refreshing and exporting applet files	300
To refresh applet files	300
To export files	300
Setting security for applets	300
<b>To set security for applets in Notes</b>	300
To set security for applets in Web applications	301
To extend the AppletBase class	301
Saving applet data	302
Considerations	302
Externalization	302
To set up externalization	303
Example HTML code	303
Serialization	303
To set serialization	304
Example of HTML code	304
Tips and troubleshooting for Java applets	304
Troubleshooting an applet that is not running	304
Accessing resource files	304
Specifying a full URL	305
Using getDocumentBase	305
Using getCodeBase	306
Modifying parameter values to locate resource files	306

## Chapter 14. Including Java servlets in Web applications. . . . . 307

Comparing agents, servlets, and CGI programs	307
<b>What language can the program be written in?</b>	308
<b>Where is the program stored?</b>	308
<b>How is the program invoked by a Web user?</b>	308
<b>When is the program loaded and unloaded by the server?</b>	308
<b>How can the program interact with Domino?</b>	308
<b>What security is available for the program?</b>	308
Running servlets in Domino	309
<b>Writing the servlet</b>	309
<b>Enabling servlet support in Domino</b>	309
<b>Loading servlet classes with the JVM loader</b>	310
<b>Setting properties for servlets</b>	311
Servlet aliases	311
<b>Initialization arguments</b>	311

URL extension mapping	312
Load on startup	312
Example properties file	312

## Chapter 15. Including XML in Designer applications . . . . . 313

What is DXL?	314
Domino applications and XML	315
Applications enhanced with XML	315
Ways to include XML in a Designer application	315
XML terminology	316
Putting XML in a form or page	317
Defining data on a form with XML elements	317
To create documents in XML format	318
Formatting XML data with stylesheets	318
Using a view to generate XML	319
Mapping XML tags to a view	319
Example	320
To map XML to a view	320
Embedding a view in a page	321
Using an agent to generate XML	321
Example: XML Agent	322
Using a Java servlet to generate XML	323
Examples of XML servlet applications	323
Creating and using a servlet	324
Including XML in a servlet	324
Viewing the XML in an application with DXL utilities	324
To view the XML for a design element	324
To export the XML for one or more design elements to a text file	324
To transform the XML for one or more design elements using an XSL	325

## Chapter 16. Including OLE objects in applications . . . . . 327

Linking and embedding objects in forms	327
OLE and LotusScript	328
To link an object in a form	328
To embed an object in a form	328
Adding OLE custom controls to a form	328
To create an OLE custom control object	328
Troubleshooting tips for OLE and Active X objects	329
Modifying a form to size an embedded object	330
To edit the OLE object using the properties box	330
To edit the OLE object using the properties in the programmer's pane	330
Modifying a form so that it sizes an OLE custom control	330
To edit the OLE custom control using the properties box	330
To edit the OLE custom control in the Programmer's pane	330
Expansion properties of OLE custom controls	331
Modifying a form to run a custom control in Read mode	331
Updating objects by document	331
To modify properties using the properties box	331
To modify properties using the properties sheet in the Programmer's pane	332

Launching objects automatically . . . . .	332
Launch an object automatically . . . . .	332
Launch a new object automatically . . . . .	332
Launch an object in-place or out-of-place . . . . .	332
Define the conditions under which objects are launched . . . . .	332
Use the form open in a modal dialog box to create documents . . . . .	332
Hide the Notes document . . . . .	332
Hide the original embedded object in documents . . . . .	333
Designing forms that launch objects automatically . . . . .	333
Launching an object "in-place" or "out-of-place" . . . . .	334
Specifying the event that causes an object to autolaunch . . . . .	334
Designing a form that launches an object from modal dialog boxes . . . . .	335
Designing a form to hide the Notes document . . . . .	335
When you can hide the Notes document . . . . .	335
<b>Mixing Hide/Show options</b> . . . . .	335
To hide a Notes document . . . . .	336
Example . . . . .	336
Hiding an embedded object in a document . . . . .	337
Publishing actions . . . . .	337
When an action executes . . . . .	337
"Bring document window to front" property . . . . .	337
To publish an action . . . . .	338
Examples . . . . .	338
Exchanging field data . . . . .	338
One-way fields . . . . .	338
Two-way fields . . . . .	339
User-defined fields . . . . .	339
Preparing a form to exchange data . . . . .	339
Table of one-way and two-way field exchange . . . . .	339
To enable field exchange . . . . .	339
To set up field exchange . . . . .	340
Example of exchanging data for an expense form . . . . .	340
<b>Chapter 17. Creating a workflow application . . . . .</b>	<b>343</b>
Examples of workflow applications . . . . .	343
Planning workflow . . . . .	343
Central shared databases . . . . .	343
Individual mail databases . . . . .	344
Setting up automatic mailing . . . . .	344
Sending links to documents . . . . .	344
Sending documents . . . . .	344
Enabling users to view documents . . . . .	345
Forwarding documents in a mail memo . . . . .	345
Sending replies to a mail memo . . . . .	345
Mailing features and Web applications . . . . .	345
Displaying the Mail Send dialog box . . . . .	345
Creating a database that receives mailings . . . . .	345
Example of using an agent that sends automatic replies . . . . .	346
Example of using an agent that mails action item notices . . . . .	346
Example of using an agent that sends announcements . . . . .	347

<b>Chapter 18. Enabling an application for Domino Off-Line Services . . . . .</b>	<b>349</b>
Overview of DOLS developer tasks . . . . .	349
Copying DOLS design elements into the main database . . . . .	349
Customizing how users install the DOLS subscription . . . . .	350
Using the Web Control . . . . .	350
Using an icon . . . . .	351
Configuring the DOLS subscription . . . . .	351
To edit the configuration document . . . . .	352
Creating multiple database DOLS subscriptions . . . . .	357
Optional tasks for DOLS developers . . . . .	358
Creating custom file sets for a DOLS subscription . . . . .	358
Customizing fields and design elements in a DOLS subscription . . . . .	359
Adding a directory catalog to a DOLS subscription . . . . .	362
Adding time zones to a DOLS subscription . . . . .	363
Setting a sort order for a DOLS subscription . . . . .	363
<b>Chapter 19. Security in an application . . . . .</b>	<b>365</b>
The database access control list . . . . .	365
Setting up a database ACL . . . . .	365
Access levels in the ACL . . . . .	366
Access level privileges in the ACL . . . . .	366
Roles in the ACL . . . . .	370
Editing the database ACL . . . . .	372
Default ACL entries . . . . .	372
Acceptable entries in the ACL . . . . .	373
User types in the ACL . . . . .	378
Enforcing a consistent access control list . . . . .	379
Displaying the ACL history . . . . .	380
To display a name's effective access . . . . .	380
Security overview for Web applications . . . . .	380
Application design element security . . . . .	383
Controlling access to a database during design . . . . .	383
Restricting who can read or edit documents . . . . .	384
Using a Readers field to restrict access to specific documents . . . . .	384
Using an Authors field to restrict who can edit specific documents . . . . .	384
To create Readers and Authors fields . . . . .	385
Tracking who edits a document . . . . .	386
Updating Readers and Authors fields . . . . .	386
Setting up the Administration Process for databases . . . . .	387
Creating controlled-access sections of forms . . . . .	387
Examples of access-controlled sections . . . . .	388
Limiting Editor access to sections of forms . . . . .	388
Creating read access lists to limit view and folder access . . . . .	389
Creating write access lists to limit folder access . . . . .	390
Access-controlled forms and documents . . . . .	390
Creating public access pages, forms, subforms, outlines, views, agents, and style sheets . . . . .	391
Notes and Domino encryption . . . . .	392
Database encryption . . . . .	393
To encrypt a database . . . . .	393

Encrypting documents and fields . . . . .	394
Procedural overview: encrypting documents . . . . .	395
Enabling encryption for a field . . . . .	395
Creating secret encryption keys . . . . .	396
Distributing secret encryption keys . . . . .	396
Merging secret encryption keys . . . . .	397
To create a field that maintains a list of secret encryption keys . . . . .	398
Managing encrypted information . . . . .	398
To encrypt all documents automatically . . . . .	399
Using electronic signatures in Notes applications	400
Attaching signatures to documents . . . . .	401

**Chapter 20. Completing an application and managing design changes . . . . 403**

Creating a database icon for a Notes application	403
To paste an icon into a database . . . . .	403
To create a new icon . . . . .	403
Providing online Help for an application . . . . .	404
Creating "Using Database" and "About Database" documents . . . . .	404
The "About Database" document . . . . .	404
The "Using Database" document . . . . .	404
To create a document . . . . .	405
To automatically display the "About Database" document . . . . .	405
Creating context-sensitive Help for an application	405
Writing Help for fields . . . . .	406
Tips for writing Help for fields . . . . .	406
To write field Help . . . . .	406
To write pop-up text for a field . . . . .	406
To write a field hint . . . . .	407
Examples . . . . .	407
Creating and displaying more detailed application Help . . . . .	407
To create a Help form . . . . .	407
Specifying a home page in the Web site document	407
Restricting design changes . . . . .	408
Checking the application design before release . . . . .	408
Checking form design . . . . .	409
Checking field design . . . . .	409
Checking view design . . . . .	410
Checking columns . . . . .	411
Making a design copy of a completed application	411
Pilot testing an application . . . . .	412
To pilot test an application . . . . .	412
Renaming a database . . . . .	413
Renaming design elements . . . . .	413
Design synopsis . . . . .	413
To create a design synopsis . . . . .	413
Updating documents after redesigning a form . . . . .	414
Form changes that don't require updates to existing documents . . . . .	414
Form changes that require updates to existing documents . . . . .	415
Checking field values in a document . . . . .	415
To check field values in a document: . . . . .	415
Using agents to update documents affected by form changes . . . . .	415
To edit and resave documents . . . . .	416
To add a field . . . . .	416

To remove field data from all documents . . . . .	416
To rename a field . . . . .	416
To reassign documents to another form . . . . .	416
To remove the stored form from documents . . . . .	416
To specify a form to display documents . . . . .	417
To recover additional space . . . . .	417
Changing database and design properties . . . . .	417
To change a database's properties . . . . .	417
To change a design element's properties . . . . .	417
Setting database launch properties . . . . .	418
To set the database launch property . . . . .	418
If you choose to launch a doclink . . . . .	418
To launch a Page from the Notes client . . . . .	419
Displaying a document preview automatically	419
Templates . . . . .	419
To convert a database to a template . . . . .	419
Naming conventions . . . . .	420
Creating templates . . . . .	420
Creating a design library template . . . . .	422
Linking a database to a template . . . . .	423
Linking individual design elements to a template . . . . .	424
Synchronizing databases with master templates	424
Making and distributing design changes . . . . .	425
Refreshing a design . . . . .	426
Automatically refreshing a design . . . . .	426
Manually refreshing a design . . . . .	427
Components that are not refreshed . . . . .	427
Components that are refreshed . . . . .	427
Refreshing a design manually . . . . .	427
Replacing a design . . . . .	428
Components that are not replaced during Replace Design . . . . .	428
Components that are replaced during Replace Design . . . . .	428
To replace the design of a database . . . . .	429
Design changes and replication . . . . .	429
Templates and replication . . . . .	429
Preventing design changes . . . . .	429
To protect individual design elements from being replaced or refreshed . . . . .	429
To unlink individual design elements from a template . . . . .	430
To unlink a database from a template . . . . .	430
Modifying multiple design elements . . . . .	430
Hiding the design of a database . . . . .	431
To hide the design of a database . . . . .	431
Building in access to agents before hiding the design . . . . .	431
Hiding design elements . . . . .	432
"Hide design element from" . . . . .	432
"Do not show this design element in menus of Notes R4 or later clients" . . . . .	432
To hide design elements . . . . .	432
Locking a design element . . . . .	432
To enable design element locking . . . . .	433
To lock a design element . . . . .	433
To unlock a design element . . . . .	433
To disable design element locking . . . . .	433

**Chapter 21. Deploying an application 435**

Rolling out a database . . . . .	435	Managing database activity recording in databases. . . . .	463
Mandatory tasks . . . . .	435	Updating database indexes and views . . . . .	463
Optional tasks . . . . .	436	Notifying users of a moved database . . . . .	464
Copying a new database to a server. . . . .	437	Adding a button to open a database. . . . .	464
To copy a new database to a server . . . . .	437	Troubleshooting database performance . . . . .	464
Setting up replication for an application . . . . .	438	Users cannot access the database . . . . .	464
Creating one replica manually. . . . .	438	Users experience a delay when accessing the database . . . . .	465
Replication settings . . . . .	439	Using Find Note to analyze a document reported in the log file . . . . .	466
Limiting the contents of a replica. . . . .	440	Troubleshooting replication problems . . . . .	466
Assigning miscellaneous replication settings . . . . .	442	A database replica does not contain all the documents it should . . . . .	466
Limiting what a replica sends . . . . .	443	A database replica is not receiving design changes . . . . .	467
Specifying replication settings . . . . .	443	Changes to the database title do not replicate . . . . .	467
Examples of specifying replication settings for multiple replicas . . . . .	444	Database replicas are different sizes . . . . .	467
Disabling and enabling replication of a database . . . . .	446	The database stops replicating. . . . .	468
To disable replication of one database . . . . .	446	The database replica has not received ACL changes . . . . .	468
To disable replication of multiple databases . . . . .	446	The new replica contains the ACL of the source server but you did not copy the ACL . . . . .	468
Forcing a server database to replicate . . . . .	447	You see the message "Database is not fully initialized yet" . . . . .	468
To force replication from the server console . . . . .	447	Deletions are not replicating . . . . .	469
To force replication from the database . . . . .	447	Unexpected deletions occur in a replica . . . . .	469
		Deleted documents reappear . . . . .	469
<b>Chapter 22. Optimizing and troubleshooting databases . . . . .</b>	<b>449</b>	<b>Chapter 23. DB2 Access views . . . . .</b>	<b>471</b>
Properties that improve database performance . . . . .	449	Prerequisites for working with Notes databases that reside in DB2. . . . .	472
Display images after documents . . . . .	449	DAV security . . . . .	472
Prevent the use of stored forms . . . . .	449	Creating a DAV . . . . .	473
Don't maintain unread marks . . . . .	449	Viewing the status of your DAV . . . . .	475
Associate document tables with forms for view updates . . . . .	450	Managing DAVs . . . . .	475
Prevent overwriting of deleted data . . . . .	450	In Designer . . . . .	476
Don't maintain "Accessed (In this file)" document property . . . . .	450	In DB2 . . . . .	476
Disable specialized response hierarchy information . . . . .	451	Troubleshooting DAVs . . . . .	476
Disable transaction logging. . . . .	451	ACLs needed for DAVs . . . . .	476
Prevent headline monitoring . . . . .	451	Errors using the Select statement . . . . .	476
Allow more fields in a database . . . . .	452	Exporting TIMEDATES to DAVs . . . . .	477
Use LZ1 compression for attachments . . . . .	452	Inserting date ranges in a DAV . . . . .	477
Limit the size of \$UpdatedBy fields . . . . .	452	Unknown host error . . . . .	477
Limit the size of \$Revisions fields . . . . .	452	Updatable cursors do not work . . . . .	477
Specify expiration time for soft deletions . . . . .	452	Using GMT TimeDates with Query Views based on DAVs . . . . .	477
To set database properties that optimize database performance. . . . .	453	<b>Appendix A. Domino Designer templates . . . . .</b>	<b>479</b>
Controlling database size . . . . .	454	Table of Domino Designer templates . . . . .	479
Monitoring database size . . . . .	454	<b>Appendix B. Importing to and exporting from views . . . . .</b>	<b>481</b>
Compacting databases . . . . .	454	File formats you can export and import . . . . .	481
Document archiving tool . . . . .	456	Importing options . . . . .	481
To enable database archiving . . . . .	456	Formatting options . . . . .	481
Archive Settings . . . . .	456	Including additional fields for imported documents . . . . .	481
Viewing a document Archiving Log. . . . .	457	Character translation file . . . . .	482
Using an agent to delete and archive documents . . . . .	457		
Monitoring replication of a database. . . . .	458		
The database replication history . . . . .	458		
Viewing replication events in the log file . . . . .	459		
Replication or save conflicts . . . . .	460		
Consolidating replication or save conflicts. . . . .	460		
Monitoring database activity . . . . .	461		
How the Statlog task generates activity statistics . . . . .	461		
Viewing database activity statistics generated by the Statlog task. . . . .	462		

Importing worksheets . . . . .	482
To import worksheet data into a view . . . . .	482
Importing tabular text . . . . .	482
Viewing imported text . . . . .	483
To import tabular text into a view . . . . .	483
Importing structured text files . . . . .	483
To import structured text into a view . . . . .	483
Creating a column descriptor (COL) file . . . . .	484
Using a column descriptor file (COL ) to map a source file to a Notes view . . . . .	484
Mapping a column to a field in a view . . . . .	484
Specifying the data type of a column . . . . .	484
Using formulas . . . . .	485
Writing a COL file for a worksheet . . . . .	485
WKSCOL. . . . .	485
RANGE . . . . .	485
Writing a COL file for a tabular text file . . . . .	486
Specifying the delimiter of a column . . . . .	486
Specifying the start, end, and width of a fixed-width column . . . . .	486
Specifying the header, footer, and lines per page . . . . .	486
Writing formulas for COL files . . . . .	487
Example . . . . .	487
Exporting views . . . . .	487
Exporting to an ASCII file with comma separated values . . . . .	487
Notes on exporting as a CSV file . . . . .	487
Exporting to a worksheet . . . . .	487
Exporting to a tabular text file. . . . .	488
Exporting to a structured text file. . . . .	488
To export a view . . . . .	488
Delimiter and word wrap settings . . . . .	488

## Appendix C. Developing applications using MAPI. . . . . 491

The Address Book provider . . . . .	491
The Message Store provider . . . . .	491
The Message Transport provider . . . . .	492
MAPI recipient types. . . . .	492
Platforms and requirements for MAPI . . . . .	492
Windows 98 . . . . .	492
Windows NT 3.51 . . . . .	492
Windows NT 4.0 . . . . .	492
Windows 2000 . . . . .	492
Mail . . . . .	492
Address Book template . . . . .	493
MAPI classes and methods. . . . .	493

## Appendix D. Features to avoid using in Web applications . . . 495

Domino @functions that are not supported on the Web . . . . .	495
Domino actions and agent properties that are not supported on the Web . . . . .	496
Domino calendar features that are not supported on the Web . . . . .	496
Domino field properties that are not supported on the Web . . . . .	497
Domino form properties that are not supported on the Web . . . . .	497

Domino formatting features that are not supported on the Web . . . . .	498
Domino frame properties that are not supported on the Web . . . . .	498
Domino horizontal rule properties that are not supported on the Web . . . . .	499
Domino hotspot properties that are not supported on the Web . . . . .	499
Domino navigator properties that are not supported on the Web . . . . .	499
Domino table properties that are not supported on the Web . . . . .	499
Domino text styles that are not supported on the Web . . . . .	500
Domino view and folder properties that are not supported on the Web . . . . .	500
Features that are not supported by the Domino view applet . . . . .	501

## Appendix E. URL commands for Web applications . . . 503

Domino URL Commands . . . . .	503
The Domino URL command syntax . . . . .	503
Syntax Guidelines . . . . .	503
URL commands for opening servers, databases, and views . . . . .	505
Redirect . . . . .	505
Syntax. . . . .	505
Example . . . . .	505
OpenDatabase . . . . .	505
Syntax. . . . .	505
Examples. . . . .	506
OpenView . . . . .	506
Syntax. . . . .	506
Examples. . . . .	506
Optional arguments for OpenView . . . . .	506
Examples. . . . .	507
ReadViewEntries . . . . .	507
Syntax. . . . .	507
Examples. . . . .	507
Optional arguments for ReadViewEntries . . . . .	507
Examples. . . . .	509
OpenAbout . . . . .	509
Syntax. . . . .	509
Example . . . . .	509
OpenHelp . . . . .	509
Syntax. . . . .	510
Example . . . . .	510
OpenIcon. . . . .	510
Syntax. . . . .	510
Example . . . . .	510
URL commands for opening framesets . . . . .	510
OpenFrameset . . . . .	510
Syntax. . . . .	510
Examples. . . . .	510
URL commands for opening agents, forms, and navigators . . . . .	510
OpenAgent . . . . .	510
Syntax. . . . .	510
Examples. . . . .	510
OpenForm . . . . .	511

Syntax . . . . .	511	Syntax . . . . .	517
Examples . . . . .	511	<b>Optional argument forOpenElement</b> . . . . .	517
<b>Optional argument forOpenForm</b> . . . . .	511	Using OpenElement with OLE Objects . . . . .	518
Syntax . . . . .	511	Syntax . . . . .	518
Example . . . . .	511	URL commands for searching for text . . . . .	518
OpenNavigator . . . . .	511	SearchDomain . . . . .	518
Syntax . . . . .	511	Syntax . . . . .	518
Examples . . . . .	511	Example . . . . .	518
ReadForm . . . . .	511	Redirect . . . . .	518
Syntax . . . . .	511	SearchSite . . . . .	518
Examples . . . . .	512	Syntax . . . . .	519
URL commands for opening resources . . . . .	512	Example . . . . .	519
OpenImageResource . . . . .	512	SearchView . . . . .	519
Syntax . . . . .	512	Syntax . . . . .	519
Examples . . . . .	512	Example . . . . .	519
OpenFileResource . . . . .	512	Optional arguments for SearchSite, SearchView, and SearchDomain . . . . .	519
Syntax . . . . .	512	Examples . . . . .	520
Examples . . . . .	512	URL search syntax and customized results . . . . .	520
URL commands for creating, deleting, editing, opening, and saving documents . . . . .	512	Start and Count parameters . . . . .	521
CreateDocument . . . . .	512	Syntax . . . . .	521
Syntax . . . . .	513	Examples . . . . .	521
Examples . . . . .	513	Using Next and Previous buttons or hotspots with Start and Count parameters . . . . .	521
DeleteDocument . . . . .	513	Example of a formula for a Next button or hotspot . . . . .	521
Syntax . . . . .	513	Example of a formula for a Previous button or hotspot . . . . .	521
Example . . . . .	513	URL commands for required authentication . . . . .	522
EditDocument . . . . .	513	Login argument . . . . .	522
Syntax . . . . .	513	Syntax . . . . .	522
Example . . . . .	513	Examples . . . . .	522
OpenDocument . . . . .	513	Logout command . . . . .	522
Syntax . . . . .	513	Syntax . . . . .	522
Examples . . . . .	514	Examples . . . . .	522
SaveDocument . . . . .	514	URL commands for processing SSL certificates . . . . .	522
Syntax . . . . .	514	OpenForm with SpecialAction argument . . . . .	522
Example . . . . .	514	Syntax . . . . .	522
URL commands for opening documents by key . . . . .	514	Examples . . . . .	523
Using Domino URLs to access a document . . . . .	514	Creating an SSL User Certificate . . . . .	523
Syntax . . . . .	514	Syntax . . . . .	523
Examples . . . . .	515	Example . . . . .	523
Using @commands to link to a document . . . . .	515	Optional and required fields . . . . .	523
Using Domino URLs to access attachments . . . . .	515	Creating an SSL Server Certificate Request . . . . .	524
URL commands for opening pages . . . . .	515	Syntax . . . . .	524
OpenPage . . . . .	515	Example . . . . .	524
Syntax . . . . .	515	Optional and required fields . . . . .	524
Examples . . . . .	515	URL commands for setting user preferences in Web applications . . . . .	524
Optional arguments for OpenPage and OpenDocument . . . . .	515	OpenPreferences . . . . .	525
Syntax . . . . .	516	Syntax . . . . .	525
Examples . . . . .	516	Examples . . . . .	525
Syntax . . . . .	516	Optional arguments for OpenPreferences . . . . .	525
Examples . . . . .	516	Managing multilingual input in a single database . . . . .	527
Arguments . . . . .	516	Syntax . . . . .	527
Syntax . . . . .	516	Usage . . . . .	527
Examples . . . . .	517	Example . . . . .	527
URL commands for opening attachments, image files, and OLE objects . . . . .	517	Perl Scripts . . . . .	528
OpenElement . . . . .	517	Common Gateway Interface (CGI) programs . . . . .	528
Using OpenElement with attachments . . . . .	517	Running a CGI program . . . . .	528
Syntax . . . . .	517	CGI variables . . . . .	528
Example . . . . .	517		
Using OpenElement with image files . . . . .	517		

Creating a field with the name of the CGI variable . . . . .	528
Table of CGI variable names . . . . .	529
<b>Appendix F. Accessibility and Keyboard Shortcuts . . . . .</b>	<b>531</b>
Accessibility and keyboard shortcuts . . . . .	531
Enabling and using extended accelerator keys . . . . .	531
To enable extended accelerators for the Bookmark bar . . . . .	531
To use extended accelerators in the Bookmark bar . . . . .	531
To enable keyboard navigation of window tabs . . . . .	531
To use extended accelerators in window tabs . . . . .	531
Keyboard shortcuts . . . . .	532
Keyboard shortcuts for the Designer interface and windows . . . . .	532

Keyboard shortcuts for databases. . . . .	533
Keyboard shortcuts for dialog boxes. . . . .	533
Keyboard shortcuts for properties boxes . . . . .	534
Keyboard shortcuts for documents . . . . .	534
Keyboard shortcuts to select and move text in a document . . . . .	535
Keyboard shortcuts to move the cursor in a document . . . . .	536
Keyboard shortcuts to change text and paragraph properties in a document . . . . .	536
Keyboard shortcuts to navigate within views, folders, and panes. . . . .	537
Keyboard shortcuts when working in views . . . . .	537

<b>Index . . . . .</b>	<b>539</b>
------------------------	------------